BLACKTIGER CORPORATION www.blacktigergroup.com

ABOUT US

BTC is a multifaceted enterprise active in trading of metals & other products like soft commodities, seafood, energy products, chemicals.

MISSION

Our mission is to satisfy our customers sourcing the highest quality products from our product line at an excellent value.





PRODUCTS

Metals: Scrap, Base Metals, Aluminium, Copper, Zinc, Lead, Nickel, Alumina, Bauxite, Molybdenum,

OTHER PRODUCTS


Soft Commodities: Rice, Corn, Wheat, Soybean, Edible Oil, Pulses, Feed Meal (De-oiled Cake), Sugar etc.

Frozen Food: Sea Food, Meat

Chemicals: Choline Chloride, Liquid Paraffin, Petrochemicals, Rock Phosphate

Energy: Coal, Pet Coke

www.ametheus.in AMETHEUS COMMODITIES PVT. LTD.














- + SS304 Sabot. This Grade 304 is the standard "18/8" stainless steel clips & solids; it is the most versatile and most widely used stainless steel, available in a wider range of products, forms and finishes than any other. This scrap category shall contain a minimum of 7% Nickel, 16% Chrome and have a maximum of 0.50% Molybdenum, 0.50% Copper, 0.045% Phosphorous & 0.03% Sulphur and free from harmful contaminants.
- + SS316 Grade 316 is the standard molybdenum-bearing grade. This contains higher percentage of Molybdenum and Nickel than SS 304. The molybdenum gives 316 better overall corrosion resistant properties than Grade 304, particularly higher resistance to pitting and crevice corrosion in chloride environments.
- + SS316L Grade 316L is the low carbon version of 316 and is immune from sensitization (grain boundary carbide precipitation). Thus it is extensively used in heavy gauge welded components (over about 6mm).




Heavy Melting Scrap (HMS):

HMS 1:2 (80:20) and HMS 1 - This is the most traded grade of scrap metal globally. Since this yields around 20 tons in a 20 feet container, obviously the density of this grade is a bit lighter than HMS 1&2 (90:10). Conforming to ISRI 200 to 206, this grade of scrap comes mostly from countries which are not industrialized as this will comprise of household scrap, demolition scrap and re-furbishing scrap.

Plates And Structures (PNS):

This grade conforms to ISRI 236/237/238 and mainly consists of 6 mm thick structural steel profiles like H-beams, angles, I-beams, pipes, piling sheets, merchant bars and such other heavy material. The size of this material will be generally 1500 mm x 1000 mm and cargo mass will yield a weight of atleast 25 tons in a 20 feet container due to the sheer heavy density of the material.



Old Zinc Die Cast Scrap (ZINC) shall consist of miscellaneous old zinc base die castings, with or without iron and other foreign attachments. Must be free of borings, turnings, dross pieces, chunks, melted pieces and skimmings. All un-metalables, dirt, foreign attachments and volatile substances (such as rubber, cork, plastic, grease, etc) are not permissible.



Brass Scrap (Honey):

Yellow Brass Scrap shall consist of mixed yellow brass solids, including brass castings, rolled brass rod brass, tubes and miscellaneous yellow brasses.